



FieldLazer™

Professional Field Marking Equipment



PROVEN QUALITY. LEADING TECHNOLOGY.

There is nothing like a Graco® field marking machine.

Quality. Performance. Durability. Productivity.

Welcome to the world of Graco airless field marking. In 2004, Graco revolutionized field marking with the introduction of the original FieldLazer S100, the first walk-behind field marker utilizing proven Graco high-pressure airless paint spray technology.

FieldLazer field marking machines have been recognized worldwide by sport turf maintenance professionals for delivering brighter, longer-lasting lines with less paint.

Now, the FieldLazer product family has evolved to a full product line-up for all your field marking needs.

**Stride, Ride, Glide...
You Decide!**



G4 DIFFERENCE

What is the G4 Difference? Graco delivers the industry's first choice for field marking machines, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and excellent on-the-job productivity. Designed to exceed the field maintenance professional's standards for quality and performance, turn to Graco field marking machines as your field grows.

PROVEN QUALITY

Each FieldLazer machine boasts Graco quality and dependability that you can count on. For more than 85 years, professionals worldwide have turned to Graco for unmatched quality.

MAXIMUM PERFORMANCE

FieldLazer machines are engineering to deliver maximum performance for efficient field marking.

INDUSTRY-LEADING WARRANTY

Every FieldLazer machine is backed by Graco's unmatched warranty and network of over 700 authorized warranty repair locations in North America.

UNMATCHED PRODUCTIVITY

Superior design, coupled with innovative technology means you'll be getting the highest productivity in a field striping machine—only from Graco.



Field Marking Solutions Guide

Introducing Graco's FieldLazer family of High-Pressure, Airless sports field markers! Finish up to four times faster, spend up to 75 percent less on paint vs. aerosol and spend 50 percent less vs. competitive low pressure models. Starting with the FieldLazer S90, the world's first battery-powered, high-pressure field marker, to the FieldLazer G400 ride-on field marker, Graco FieldLazer has a **Total Job Solution** for all of your field marking needs.

Graco has the Right Solutions for all your field marking applications.



| | STENCIL | STRIDE | | STRIDE | | RIDE | GLIDE |
|-----------------------------------|------------------------|-----------------|-----------------|-----------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Unit Model | FieldLazer ProStencil™ | FieldLazer S90 | FieldLazer S100 | FieldLazer S200 | FieldLazer R300 | FieldLazer R300 Complete | FieldLazer G400 |
| Number of Fields Maintained | N/A | Less than 10 | Less than 10 | Less than 10 | Less than 10 | More than 10 | More than 10 |
| Transport Speed | N/A | Walk | Walk | Walk | Walk | 0 to 10 mph | 0 to 10 mph |
| Paint Capacity | 32 oz cup | 6-Gallon Hopper | 5-Gallon Bucket | 5-Gallon Bucket | 5-Gallon Bucket or 15-Gallon Hopper | 5-Gallon Bucket or 15-Gallon Hopper | 5-Gallon Bucket or 25-Gallon Hopper |
| Pavement Capability | N/A | N/A | N/A | Good | Better | Best | Best |
| Stencils/Logos | Best | Good | Better | Best | Best | Best | Best |
| Automatic Hash Marks/Dashed Lines | N/A | N/A | N/A | N/A | N/A | N/A | Included |
| Automatic Parking Lot Layout | N/A | N/A | N/A | N/A | N/A | N/A | Included |



"The FieldLazer G400 saves us a tremendous amount of time and money, and we use half the amount of paint that we had used in the past."



— Don Roney
Head Grounds Keeper
Totino-Grace High School
Fridley, MN



FieldLazer Field Marking Equipment


Proven Quality = Proven Results

FieldLazer High-Pressure Airless Technology operates at over 10X the pressure of competitive, low-pressure models. The result is lower paint consumption and professional bright lines. Low-pressure models simply dump paint onto the ground; wasting not only paint but also water, time, and money! All FieldLazer models utilize high-pressure technology and precision spray tips to provide a spray pattern that coats both sides of the grass blade, not the soil.

Precision Spray Tips

High-pressure pumps and precision spray tips apply a fine spray pattern which coats both sides of the grass blade, not the soil, resulting in . . .

- ▶ Professional, bright lines
- ▶ Up to 75% lower paint cost vs. aerosol
- ▶ Up to 50% lower paint cost vs. competitive low pressure models
- ▶ Sprays thick, undiluted paint
- ▶ Spend less time measuring and mixing
- ▶ Finish up to 4X faster*



High-Pressure Pumps

Graco's Endurance™ Pump is the most rugged and reliable pump on the market today. This field proven design features long-life V-Max Blue™ packings, Chromex™ rod, and QuikAccess™ intake valve for superior reliability and life.



Automatic Gun Control System

Simple to use Automatic or Manual Paint Gun control allows precise placement of stripes on the field. (Available on FieldLazer G400 unit only.)



Stride, Ride, Glide. . .

You Decide!

FieldLazer Stride

Walk-Behind field marking equipment for sporting facilities with fewer fields, or field maintenance crew members with a preference to walk. **FieldLazer S90, S100 and S200** walk-behind models feature durable, lightweight construction for effortless straight lines over even the roughest terrain.



FieldLazer Ride

Ride-On field marking equipment for sporting facilities with a larger number of fields, smaller crew, or an emphasis on reducing operator fatigue. **FieldLazer R300 Complete Ride-On System** is an intuitive, low impact, low vibration option to produce bright, straight lines over even the roughest terrain.



FieldLazer Glide

This is the industry's first **All-In-One Stand-On, Self-Propelled** field marking machine for sporting facilities with a larger number of fields, smaller crew, or an emphasis on reducing operator fatigue. **FieldLazer G400** stand-on system is an intuitive, low impact, low vibration option to produce bright, straight lines over even the roughest terrain.



*When compared with low pressure and aerosol models.

Stencil Marking

ProStencil

| DESCRIPTION | PART # |
|-----------------|--------------------|
| PROSTENCIL | 24R747 |
| SPECIFICATIONS | |
| MAX TIP SIZE: | 0.017 |
| MATERIAL | |
| CUP (OZ/LITER): | 32 (.95) |
| MAX PSI (BAR): | 2000 (138) |
| BATTERY: | |
| | 20V Lithium-ion |

INCLUDES

- ProStencil Cordless Airless Sprayer
- 315 TrueCoat® Pro Reversible Tip
- (2) G20 Lithium-ion PowerPack Batteries
- 24 in Fixed TrueCoat Pro Spray Extension
- Lithium-ion Battery Charger
- 32 oz (0.95 l) Cup with Cover and 5 Cup Liners
- Pump Armor Storage/Start-up Tool
- Instructional DVD
- Sprayer Storage Case

ProStencil is a great tool for stencil and logo work. The world's first cordless, hoseless, self-contained battery-operated paint sprayer. Color changes are quick and easy, and clean-up is a synch. You can even use this as a touch-up tool for painting goal posts, or spot treat weeds with water-based herbicide/weed killers.



Optional ProStencil Accessories

G20 LITHIUM-ION BATTERY

16D558 Battery

- ▶ Add another battery to spray larger than 2 gal (7.75 l) jobs. One fully charged battery is able to spray 1 gal (3.78 l) for continuous spraying charge time for 80% performance is 45 minutes.



18V AND 20V LITHIUM-ION BATTERY CHARGERS

16F628 Battery Charger

- ▶ Plugs directly into a 12V port and charges your battery on the way to the job site! Compatible with all 18V and 20V Graco Lithium-ion batteries.



PROPAC™

PORTABLE SPRAY PACK

24F893 ProPack

- ▶ ProPack expands your ability to spray small projects without interruptions. Add for longer spraying time, less refills and less weight.



OPTIONAL TIPS AND FILTERS

XWD515 Thin Latex, Large Areas

XWD517 Heavy Latex, Large Areas

- ▶ Add additional tips to help spray different types of materials.

OPTIONAL TIPS AND FILTERS

24E376 60 Mesh (1 Pack)

24F039 60 Mesh (3 Pack)

24F640 100 Mesh (1 Pack)

24F641 100 Mesh (3 Pack)

- ▶ Threads directly into tip guard to filter paint for less tip plugs.



An industry first, the **FieldLazer S90** **Battery-Powered, High-Pressure** airless field marker. Battery powered simplicity is now combined with Graco's professional, paint saving high-pressure technology.



Stride

FieldLazer S90

| DESCRIPTION | PART # |
|-------------------------|--|
| FIELDLAZER S90 | 24N950 |
| SPECIFICATIONS | |
| MAX TIP SIZE: | 0.015 |
| MAX PSI (BAR): | 900 (62) |
| WEIGHT LB (KG): | 60 (27) |
| HOPPER CAPACITY GAL(L): | 6 (23) |
| BATTERY: | |
| | 12V Maintenance Free |
| BATTERY CAPACITY: | |
| | 10 Soccer Fields per Charge -or- 1 Football Field per Charge |

INCLUDES

- Adjustable Spray Shields
- Battery Charger
- 12V Battery
- LL5315 Reversible Tip

Tilt-N-Pour Removable 6-Gallon Hopper

- ▶ Quickly pour and save unused paint, remove for additional cleaning ease

Battery Charging Port

- ▶ Convenient plug-n-play battery charging

Adjustable Spray Shields

- ▶ Protection in windy conditions

Battery-Powered

- ▶ Easy to use and maintain
- ▶ Environmentally friendly
- ▶ Long-lasting

FieldLazer RAC® 5 (Reverse-A-Clean®) Tip

- ▶ Turn tip 180° to clear clogs

Easy Out™ Filter

- ▶ Large capacity and toolless removal for smooth operation

One Button Operation

- ▶ Add paint and press the button to start—*it's that easy!*

Adjustable Handlebar

- ▶ Fits in a car trunk
- ▶ Comfort for all heights



Easy 3 Wheel Design to maneuver around corner kicks, arcs, circles, stencils and straight lines.

FieldLazer S100

DESCRIPTION
FIELDLAZER S100

PART #
248942

SPECIFICATIONS

MAX TIP SIZE: 0.021
MAX PSI (BAR): 900 (62)
HONDA GX ENGINE: 35 cc, 4-Stroke
WEIGHT LB (KG): 80 (36)

Introduced in 2004, the original **FieldLazer S100** was the first walk-behind field marker utilizing proven Graco high-pressure airless paint spray technology. It is now recognized by field marking professionals as one of the top walk-behind field marking machines available.



No-Tool Gun Removal for spraying stencils or large solid areas.



Easily paints circles and arcs.

Easy Reach Handlebar Controls

- ▶ High-comfort design for greater control and less operator fatigue
- ▶ Operator controls are located on the handle bars
- ▶ You can fine tune the machine without stopping

5-Gallon Bucket Ready

- ▶ Eliminates hassle of cleaning tanks or pots

Adjustable Spray Guides

- ▶ Designed to deliver long straight lines
- ▶ No-tool line width adjustment from 2 to 12 inch lines



Exclusive Tall Wheel

- ▶ Easily rolls over ruts and cleat marks
- ▶ Reduces operator fatigue

Fold-Down Handle

- ▶ Fits into minivans, SUVs, even pickups with toppers!



FieldLazer S200

DESCRIPTION
FIELDLAZER S200

PART #
24M609

SPECIFICATIONS

MAX TIP SIZE: 0.027
MAX PSI (BAR): 3300 (227)
HONDA GX ENGINE CC (HP): 120 (4.0)
WEIGHT LB (KG): 145 (65)

FieldLazer S200 field marker is built off of the same platform as Graco's industry leading LineLazer® parking lot line marker. This proven machine is chosen by field marking professionals looking for a versatile walk-behind solution capable of day to day field marking as well as occasional parking lot maintenance.



Line Marking Capabilities

- ▶ Turf or pavement
- ▶ Stencil
- ▶ Circles and arcs
- ▶ Long, straight lines

Electronic Pressure Control

- ▶ Adjustable between 0 and 3000 psi for turf (1000 psi) and pavement (3300 psi) line marking

Turf/Pavement Tires

- ▶ Cross-over tire optimized for turf and pavement line marking

Swivel Front Wheel

- ▶ Locks in-place for long, straight lines
- ▶ Swivels for corner-kicks, arcs, circles and maneuverability over any terrain

Endurance Advantage Program

- ▶ Purchase an additional pump for up to 80% off list price or choose a free repair kit
- ▶ Quick on the job replacement
- ▶ No special tools required



Ride

FieldLazer R300 Complete

DESCRIPTION PART #
 FIELDLAZER R300 COMPLETE 24M605

SPECIFICATIONS

OPERATING SPEED:
 Forward: 0 to 10 mph (16 KM/H)
 Reverse: 0 to 6 mph (10 KM/H)

INCLUDES

- (1) FieldLazer R300
- (1) LineDriver HD
- (1) 15-Gallon Hopper

FieldLazer R300

DESCRIPTION PART #
 FIELDLAZER R300 24M607

SPECIFICATIONS

MAX TIP SIZE: 0.036 1-Gun
 0.025 2-Guns

MAX PSI (BAR): 3300 (227)

HONDA GX ENGINE CC (HP): 120 (4.0)

WEIGHT LB (KG): 212 (96)

LineDriver

DESCRIPTION PART #
 LINEDRIVER 262005

SPECIFICATIONS

FUEL CAPACITY GAL (L): 0.95 (3.6)

HONDA GX ENGINE CC (HP): 160 (5.5)

WEIGHT LBS (KG): 265 (120)



FieldLazer R300 Complete All-In-One Ride-On field marking system consists of a LineDriver™ HD Ride-On System and FieldLazer R300 field marker. Riding is the ideal way for field marking professionals to reduce fatigue and increase productivity. Quickly mark a large number of fields with razor sharp, long, straight lines.



Hydrostatic Forward and Reverse

- ▶ Finish faster with 0-10 mph transport speed

Patented Dual Pedal System

- ▶ Patent No. 6,883,633

15-Gallon Hopper Included

- ▶ Less paint refills
- ▶ Accepts 5-gallon buckets

Smooth Ride™ Tires

- ▶ Reduced fatigue and vibration
- ▶ Long, straight lines over any terrain

Swivel Front Wheel

- ▶ Locks in-place for long, straight lines and swivels for corner-kicks, arcs, circles



Electronic Pressure Control

- ▶ Adjustable between 0 and 3000 psi for turf (1000 psi) and pavement (3300 psi) line marking

Center Line Hitch Pivot

- ▶ Tight turn radius
- ▶ Fast maneuverability
- ▶ Quickly separate for transport, storage, or **Stride** with FieldLazer R300 field marker



Glide

FieldLazer G400

DESCRIPTION PART #
 FIELDLAZER G400 24M608

SPECIFICATIONS

OPERATING SPEED:
 Forward: 0 to 10 mph (16 KM/H)
 Reverse: 0 to 6 mph (10 KM/H)

MAX TIP SIZE: 0.055 1-Gun
 0.039 2-Guns

MAX PSI (BAR): 3300 (227)

HONDA GX ENGINE CC (HP): 390 (13)

WEIGHT LB (KG): 450 (204)

FUEL CAPACITY GAL (L): 1.4 (5.3)

INCLUDES

- (1) 40 in Adjustable Pointer

An industry first, the **FieldLazer G400 All-in-One Stand-On, Self-Propelled** field marking machine. Riding upright is the ideal way for field marking professionals to improve visibility, reduce fatigue and increase productivity. Quickly mark a large number of fields with razor sharp, long, straight lines.



Stand-On or Flip-Up Platform

- ▶ Comfortable shock absorbing platform
- ▶ Improved striping sight line
- ▶ Fold up for transport or storage
- ▶ Easy on and off

Controls Accessible from Standing Operator Position

- ▶ Automatic line setup
- ▶ Engine start/stop
- ▶ Pressure control
- ▶ Speed display

Honda GX 13 HP

- ▶ Electric Start
- ▶ Contractor preferred

Smooth Ride Tires

- ▶ Reduced fatigue and vibration
- ▶ Long, straight lines over any terrain

25-Gallon Hopper Included

- ▶ Less paint refills
- ▶ Accepts 5-gallon buckets

Self-Centering Steering

- ▶ Locks-in-place for a straight line
- ▶ Automatically swivels to turn

Electronic Trigger

- ▶ Reduced spraying hand fatigue
- ▶ Quick spray response



Paint Hash Marks, yard lines, and dashed lines (i.e. media and boundary lines).



Accessories

FIELDLAZER FIELD MARKING EQUIPMENT

LINE MARKING TIPS

- LL5219 RAC® 5 SwitchTip 2 inch Line
- LL5315 RAC 5 SwitchTip 2-8 inch Line (For FieldLazer S90)
- LL5323 RAC 5 SwitchTip 4 inch Line
- LL5421 RAC 5 SwitchTip 4-8 inch Line
- LL5423 RAC 5 SwitchTip 4-8 inch Line
- LL5625 RAC 5 SwitchTip 8-12 inch Line



► FieldLazer SwitchTip—Crisp, uniform lines on a single pass – *ideal for line marking!*

Additional tip sizes are available, see Graco's Airless Accessories catalog for more details. Tips are not compatible with ProStencil handheld sprayer. See page 7 for ProStencil Accessories.

STENCILING/LARGE AREA TIPS

- 286419 RAC 5 SwitchTip 8-10 inch Line or Stenciling
 - 286521 RAC 5 SwitchTip 10-12 inch Line or Stenciling
- RAC 5 SwitchTip—Overlapping fan pattern for uniform spraying of large areas or stencils. Ideal for stenciling, end zones, players boxes, etc.

FIELDLAZER S90 STENCIL KIT

- 24R236 10 ft Hose and 10 ft Cable with Spray Button
- Easily sprays stencils.

FIELDLAZER TIP EXTENSIONS

- 243296 15 in Tip Extension
 - 243297 20 in Tip Extension
 - 243298 30 in Tip Extension
- Available in three lengths. Tip extensions attach to the end of a FieldLazer spray gun for more comfortable stenciling.



FIELDLAZER TIP EXTENSION SWIVEL

- 235486 180° Swivel for Tip Extension
- 180° Easy turn directional spray nozzle



15-GALLON PAINT HOPPER

- 241104 15-Gallon (57 l) Paint Hopper (For FieldLazer R300 only.)
- Triple your paint capacity with this easy to clean paint hopper.

FIELDLAZER LINE POINTERS

- 277062 Short Pointer Guide 25 in (635 mm) (For FieldLazer R300 and G400 only.)
 - 277063 Long Pointer Guide 40 in (1016 mm) (For FieldLazer R300 and G400 only.)
 - 24N162 Adjustable Pointer Guide 40 in (1016 mm) (For FieldLazer G400 only.)
- Pointer guide provides operator with improved long straight lines.



SPRAY SHIELD KITS

- 249081 Adjustable Spray Shield Kit
 - 24P894 Adjustable Spray Shield Kit (For FieldLazer S100 only.)
- Attaches to the FieldLazer spray gun for improved line definition in windy conditions or over uneven surfaces.

GUN ARM EXTENSION

- 287591 Gun Arm Extension (For FieldLazer S100 only.)
- Moves spray gun farther forward for striping directly up to goal posts, or other obstacles.

AUXILIARY BATTERY KIT AND LIGHT KITS

- 245343 Auxiliary Battery Kit (For FieldLazer R300 Complete and LineDriver HD only. Required for Light Kit.)
- 16U160 FieldLazer S90 Replacement/Spare Battery
- 24M598 Auxiliary Light Kit for Low Light Applications (For FieldLazer G400 only.)

SECOND GUN KITS

- 287553 2nd Gun Kit for FieldLazer R300
 - 24M679 2nd Gun Kit for FieldLazer G400 (Required for automatic hash marks.)
- Add a second gun for spraying large areas in less time. Ideal for stenciling, end zones, players boxes, etc.

FieldLazer S100 Adjustable Spray Shield



FieldLazer S90 Adjustable Spray Shield

FieldLazer Specifications



| | | ProStencil | FieldLazer S90 | FieldLazer S100 | FieldLazer S200 | FieldLazer R300 Complete | FieldLazer G400 |
|------------------|--|--|--|---|---|---|---|
| SPECIFICATIONS | MODEL | 24R747 | 24N950 | 248942 | 24M609 | 24M605 | 24M608 |
| | Part Number | 24R747 | 24N950 | 248942 | 24M609 | 24M605 | 24M608 |
| | Power | (2) 20V Lithium-ion Batteries | 12V Maintenance-Free Battery | Honda GX35 | Honda GX120 | FieldLazer R300: Honda GX120 4-Stroke LineDriver HD: Honda GX200 | Honda 390 (13 hp) Electric Start |
| | Paint Pumping System | ProSpray Technology | Graco High Pressure Airless Pump | Graco High Pressure Airless Pump | Graco High Pressure Chromex Airless Pump | Graco High Pressure Chromex Airless Pump | Graco High Pressure Chromex Airless Pump |
| | Drive System | Handheld | Push | Push | Push | Hydro-Static (Forward/Reverse) | Hydro-Static (Forward/Reverse) |
| | Tires | N/A | (3) Pneumatic | (3) Graco Tall-Wheels | (2) Pneumatic Multi-Purpose Wheel (1) Front Swivel Wheel | (4) Large Turf Pneumatic Wheels (1) Front Swivel Wheel | (2) Large Turf Pneumatic Wheels (1) Front Swivel Wheel |
| | Paint Hopper Capacity gal (l) | 32 oz (.95) Material Cup | 6 (23) | N/A | 5 (19) | 15 (57) | 25 (95) |
| | Clean-up Features | <ul style="list-style-type: none"> • Sealed system for reduced flushing between use • Quick system flush • No hose to clean | <ul style="list-style-type: none"> • Sealed system for reduced flushing between use • Quick system flush • Tilt-N-Pour Removable Hopper | <ul style="list-style-type: none"> • Sealed system for reduced flushing between use • Quick system flush • Siphon from disposable paint bucket | <ul style="list-style-type: none"> • Sealed system for reduced flushing between use • Quick system flush • Siphon from disposable paint bucket | <ul style="list-style-type: none"> • Sealed system for reduced flushing between use • Quick system flush • Siphon from disposable paint bucket | <ul style="list-style-type: none"> • Sealed system for reduced flushing between use • Quick system flush • Siphon from disposable paint bucket |
| | Fuel Capacity gal (l) | N/A | N/A | 0.17 (0.63) | 0.66 (2.5) | FieldLazer R300: 0.66 (2.5) LineDriver HD: 0.95 (3.6) | 1.4 (5.3) |
| | Line Width in (cm) | N/A | 2-8 (5-20) | 2-12 (5-30) | 2-12 (5-30) | 2-12 (5-30) | 2-12 (5-30) |
| | Max Speed: Forward mph (km/h) Reverse mph (km/h) | N/A | N/A | N/A | N/A | 10 (16) 6 (10) | 10 (16) 6 (10) |
| | Weight Dry lb (kg) | N/A | 60 (27) | 80 (36) | 145 (65) | FieldLazer R300: 212 (96) LineDriver HD: 275 (125) | 450 (2) |
| | Max Pressure psi (bar) | 2000 (138) | 900 (62) | 900 (62) | 3300 (227) | 3300 (227) | 3300 (227) |
| | Pressure Control | Included | N/A | N/A | Included | Included | Included |
| | Max Tip Size | 0.017 | 0.015 | 0.021 | 0.027 | 0.036 (1-gun) 0.025 (2-guns) | 0.055 (1-gun) 0.039 (2-guns) |
| | Adjustable Handle Height | N/A | Included | Included | Included | Included | Included |
| Fold-Down Handle | N/A | Included | Included | N/A | N/A | N/A | |
| INCLUDED ACC. | Left or Right Spray Configuration | N/A | Included | N/A | Included | Included | Included |
| | Gun(s) | N/A | 1 | 1 | 1 | 1 | 1 |
| | Tip(s) | N/A | 1 | 1 | 2 | 2 | 3 |
| | Hose ft (m) | N/A | 6 (2) | 25 (8) | 50 (15) | 50 (15) | 50 (15) |
| | Spray Shields | N/A | Included | Included | Accessory | Accessory | Accessory |
| | Side Marking Arm | N/A | Included | Included | Included | Included | Included |
| Operation Manual | 3A2587 | 332119 | 310810 | 311019 | FieldLazer R300: 311017 LineDriver HD: 312540 | 3A2090 | |



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 443, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Customer Service
800-690-2894
Fax 800-334-6955