


TITAN™

FIELD AND PAVEMENT MARKING



CONTENTS

Hydraulic Line Strippers 4

PowrLiner™ Series 5

PowrLiner™ 4955 6

PowrLiner™ 6955/8955 7

Clutch Driven Line Strippers 8-9

PowrLiner™ 2855 10

LazyLiner™ Series 11

Line Striping Accessories 12-13

Specifications 14-15

Warranty 16



TITAN™

WHY TITAN™ POWRLINER™?

Professional contractors, property managers and maintenance personnel aren't interested in complicated machines: they want to get the job done quickly and done right. Serious contractors, maintenance managers and athletic organizations rely on Titan because Titan offers them a full range of versatile, dependable line strippers for every application – from municipal parking lots and athletic fields to airport runways and football stadiums.

Titan PowrLiners are built for dependable, precision performance — delivering crisp, clean lines that no conventional air-spray or aerosol system can accomplish. Our gear driven and hydraulic sprayers have an output range from .33 to 2.50 GPM and are capable of striping 106 to 800 linear feet/minute — up to 60% greater than competitive line strippers.

ADVANCED PERFORMANCE

- Our strippers are built for hard work and long life
- The latest engineering technology ensures ease of use and dependability
- Our strippers meet and exceed the expectations of contractors who want to do the job right the FIRST time.

TOTAL RELIABILITY

- Proven technology - you finish every job quickly and profitably
- Superior design and construction maximizes the service life of your line stripper
- Complete diversity of equipment – we have a stripper for every application
- Half a century of getting the job done right – Titan is the name you trust

UNSURPASSED SERVICE

- Dependable, reliable network of authorized sales and service distributors
- The best customer service in the industry to help you select and maintain your line stripper
- Professional application and service representatives ready to assist you with recommendations and technical support

THE BEST AND LONGEST WARRANTY IN THE INDUSTRY

When you purchase a PowrLiner you purchase performance. We stand behind that assurance and are so confident in the quality of our strippers that we offer the best and longest warranties in the industry, including:

- 4-Year Manufacturer's Defects - All models except PL550/850 (2-Year warranty)
- 5-Year Subaru Gas Engine Warranty
- Lifetime Drive Train Warranty
- 35-Day Satisfaction Guarantee
- Express Parts Program
- WearGuard™ Convenience Program

STENCILING



Special-purpose stenciling

TURF AND FIELDS



Athletic fields and sports turf, including football, soccer and municipal all-purpose fields

SMALL & LARGE-SCALE PROJECTS



Airport runways, cargo and freight handling facilities

PARKING LOTS



Commercial and residential asphalt and concrete parking lots, street and roadways

STREETS AND ROADWAYS



Walk behind, and ride-on systems available

HYDRAULIC LINE STRIPERS

Titan offers two-gun PowrLiners™ that incorporate hydraulic pump technology for heavy-duty, long-term use on medium, large and giant scale striping projects.

Speeflo® HydraDrive™

- Reliable, smooth, slow-stroking hydraulic drive greatly extends the operational life of the sprayer.
- External-hydraulic fluid porting with new, upgraded fittings allows for quick troubleshooting and easy maintenance.
- SAE O-Ring fitting and precision rod alignment ensure maximum pump life.

Severe Service 900™ Pump

- Cylinder and piston rod are tempered with a proprietary heat-treating process that increases pump life 150% longer than competitive pumps.
- Self-adjusting packings resist over-tightening and help prevent premature wear.
- Foot valve removes easily for faster cleaning and easy maintenance.
- Reversible inlet and outlet seats have twice the lifespan of ordinary outlet seats. Extra large ball valves ensure efficient pump operation and longer unit life.
- Heavy-duty prime/spray valve ensures consistent, increased flow and faster pump priming.

These high-performance, heavy-duty paint sprayers use long-stroke, slow-cycling hydraulic piston technology for economical operation and dependable, long-term line spraying. The sprayers of choice for serious contractors with large-scale contractors.

SPEEFLO® HYDRADrive™



Mechanical valve eliminates expensive, unreliable electronic switching devices.



Precision rod alignment for maximum chrome life.

SEVERE SERVICE 900™ PUMP



Self-adjusting packings prevent premature packing wear due to over-tightening.




New cylinder and piston rod material with proprietary heat treating process increases pump life up to 150% over the competition.



Reversible inlet and outlet seats double the life of standard seats. Extra-large ball valves for efficient pump operation and longer life.



Hand-tight foot valve and cylinder remove easily for quick cleaning and easy maintenance.



NEW TO THE POWRLINER™ SERIES

SMARTARM™



BUILT TO MAKE LINE ADJUSTMENTS AND TRANSPORTATION QUICK AND EASY

PIVOT SYSTEM

- Pivots down for spraying and up for transportation and storage
- Locks in at any angle for curb striping
- Store 2 stripers (side by side) in most trailers

LIFT SYSTEM

- Adjust gun height (fan pattern) up/down with the turn of a lever
- Lock in a pattern that's easily repeatable
- Gun(s) will adjust manually for fine tuning your line width



POWRCENTER™

DESIGNED WITH CONVENIENT AND EASY-TO-USE CONTROLS

12V AUXILIARY CHARGING PORT (6955 & 8955)

- Charge your phone or mp3 player while striping

TIP HOLDER

- Stores up to 2 line striping tips

ELECTRIC KEY START (6955 & 8955)

- Turn key convenience

PRESSURE GAUGE

- Visually convenient PSI gauge

MANIFOLD FILTER ASSEMBLY

STORAGE TRAY

- Store your paperwork, tips, phone or sunglasses in one spot


THROTTLE CONTROL

- Complete engine control

CUP HOLDER

PRESSURE CONTROL KNOB

- Conveniently located for on the fly PSI adjustments




NEW SWING-BACK STEM DESIGN

- 65° vs 80° stem design increases your leverage making the striper easy to push and easy to lift
- Make quick direction changes with ease

DEADLOCK HANDLEBARS

Easily adjust handlebars in three ways; in and out, up and down and pivot forward or back




POWRLINER™ 4955

NEW FOR 2015

Designed and built for contractors who are serious about completing medium to large scale striping projects quickly and profitably. PowrLiner 4955 is the first step in hydraulic strippers where power and long-term, heavy duty operation are the difference between a business that makes money and one that does not.

- Dependable 169 cc OHC Subaru® gas engine
- Fast, easy, tool-free convertibility to 2 HP Extended-Life DC electrical motor (optional).

- Versatile gun bracket can be positioned to spray on left, right, front or rear of striper
- Precise pressure control from 400 PSI to 3300 PSI, for spraying light-bodied coatings all the way up to low-VOC striping paints.
- Heavy-duty, epoxy-finished frame resists harsh solvents and corrosion.



POWRLINER 4955

RECOMMENDED FOR FULL-TIME DUTY ON PARKING LOTS AND ATHLETIC FIELDS

Max. Delivery, Gas	1.50 GPM
Max. Delivery, Electric	1.10 GPM
Max. Tip Size (1 Gun)	0.037"
(2 Guns)	0.028"
Max. Operating Pressure	3300 PSI
Engine, Gas	169 cc
Part Number	0290052
2.0 HP Electric Converto Kit	506-719

ELECTRIC CONVERTIBILITY



Easy, tool-free convertibility from gas-power to electric power for projects where gas engines are not permitted. PowrLiner 4950, 4955 and all XLT units.


POWRLINER™ 6955/8955

NEW FOR 2015

Larger projects require more power and output. PowrLiner 6955 and 8955 line strippers are the workhorse machines of the industry, designed for ease of use and simple operation on major projects that require maximum performance with minimum downtime and maintenance.

RECOMMENDED FOR LARGE-SCALE, FULL-TIME DUTY ON AIRPORTS, ROADS, PARKING LOTS AND ATHLETIC FIELDS.

- Powered by a dependable electric start Subaru® 211 cc engine with Low-Oil Alert
- Versatile gun bracket can be positioned to spray on left, right, front or rear of striper
- Precise pressure control from 400 PSI to 3300 PSI, for spraying light-bodied coatings all the way up to low-VOC striping paints
- Heavy-duty, epoxy-finished frame resists harsh solvents and corrosion



SUBARU GAS ENGINE
5-YEAR WARRANTY
LIMITED MANUFACTURER'S WARRANTY

WEAR GUARD™
THE BEST & LONGEST WARRANTY IN THE INDUSTRY

POWRLINER 6955

Max. Delivery, Gas	2.25 GPM
Max. Operating Pressure	3300 PSI
Max. Tip Size (1 Gun)	0.050"
(2 Guns)	0.033"
Engine, Gas	Subaru® 211 cc / Electric Start
Part Number	0290053

POWRLINER 8955

Max. Delivery, Gas	2.50 GPM
Max. Operating Pressure	3300 PSI
Max. Tip Size (1 Gun)	0.054"
(2 Guns)	0.038"
Engine, Gas	Subaru® 211 cc / Electric Start
Part Number	0290054



CLUTCH DRIVEN STRIPERS

Titan offers clutch-driven PowrLiners™ that are perfect for entry level and medium sized striping projects.

Titan Clutch-Driven Piston Line Stripers

Durable Fluid Section

- Exclusive fluid section design requires no cylinder; fewer wear parts reduces maintenance cost
- Stainless steel rotating ball valves keep debris from sticking to minimize downtime and maximize performance
- Access and clean the ball valves without damaging packings or removing fluid section
- Patented, one-piece modular pump housing design makes routine service quick and easy — lasts up to 30% longer than competitive line strippers
- One-piece, self-adjusting static packings with wiper lip last up to 50% longer; lifetime cylinder warranty means you spray more and worry less.
- Reversible inlet and outlet seats last twice as long as standard seats

Reliable Subaru Gas Engine (PowrLiner 2855)

- Proven engine technology — get advanced performance and reliability with overhead cam engines that have the most powerful HP to GPM ratio which increases fuel efficiency
- Quiet operation — 33% fewer moving parts makes this one of the quietest engines operating today
- Easy starting — 30% to 40% less pulling force than other engine brands
- 5 year engine warranty

These high performance line strippers are designed for economical operation and precise line spraying. Ideal for maintenance personnel and entry level through full service contractors.

POWRLINER™ 550

The PowrLiner 550 is designed for entry level contractors and maintenance personnel who need a basic line striper capable of high-spraying pressures for smaller jobs on pavement, grass or turf.

- Simple, compact design weighs only 83 lbs. — easy to use, easy to transport and easy to store. Only requires one operator to transport and fits easily in most automobile trunks.
- Lightweight design makes basic stenciling easy and fast
- Perfect for any organization or municipal budget
- Fixed spray pressure
- 2 year warranty against manufacturer defects



LX-40 SPRAY GUN



LX-40 Spray Gun with in-handle filter and Premium TR¹ Line Striping Tip

POWRLINER 550

FOR LATEX PRODUCTS ONLY


Max. Delivery	.33 GPM
Max. Operating Pressure	3000 PSI
Max. Tip Size (1 Gun)	0.019"
Engine, Gas	37.7 cc
Part Number	0290004



POWRLINER™ 850

The PowrLiner 850 is designed for entry level contractors, sports turf managers and maintenance personnel who need a basic line striper capable of high-spraying pressures for smaller jobs on pavement, grass or turf.

- Simple, compact design weighs only 84 lbs. — easy to use, easy to transport and easy to store. Only requires one operator to transport and fits easily in most automobile trunks.
- Lightweight design makes basic stenciling easy and fast
- Perfect for any organization or municipal budget
- Adjustable pressure from 100–3000 PSI
- Removable gun for full stencilling capability
- 2 year warranty against manufacturer defects



RECOMMENDED FOR LIGHT, PERIODIC-DUTY ON SMALL PARKING LOTS AND ATHLETIC FIELDS.

POWRLINER 850


FOR LATEX PRODUCTS ONLY

Max. Delivery	.33 GPM
Max. Operating Pressure	3000 PSI
Max. Tip Size (1 Gun)	0.021"
Engine, Gas	37.7 cc
Part Number	0290005



POWRLINER™ 2850

The PowrLiner 2850 is designed to withstand the rigors of steady, everyday use on pavement, fields and turf. It's the perfect intermediate line striper that can handle all one-gun projects too big for the smaller line stripers.

- Fluid section has slower-stroking piston, slower cycle rate and larger displacement for longer performance life
 - Higher output and longer sustained use in a design that weighs only 250 lbs. — easy to use, transport and store
 - Versatile gun bracket can be positioned to spray on left, right, front or rear of striper
 - Ideal for medium-size projects on athletic fields and pavement; easy maneuverability makes tight turns and stenciling easy and fast
 - Perfect for contractors who need a maneuverable, medium-duty line striper for projects where the big machines just aren't profitable to operate
 - Optional 2 gun kit available
 - **Unique vibration reduction system - NEW**
 - **Optimized frame support system - NEW**
- 

Adjustable, telescoping handles for comfort

1/4" x 50' anti-static
spray hose

Carries 5-Gallon Paint Pail
(Pail not included)

Adjustable Gun Mount
Gun mountable on left or right side of unit and adjustable to front or rear

Subaru® 126cc, OHC Engine
With low oil alert

Front Swivel Caster
Tracks straight and unlocks
for easier maneuvering

SUBARU GAS ENGINE

5-YEAR

WARRANTY

LIMITED MANUFACTURER'S WARRANTY


WEAR
GUARD TM

**THE BEST & LONGEST
WARRANTY IN THE INDUSTRY**

POWRLINER 2850

RECOMMENDED FOR ONE OR TWO GUN PROJECTS ON ALL PARKING LOTS AND ATHLETIC FIELDS

Max. Delivery	.92 GPM
Max. Operating Pressure	3300 PSI
Max. Tip Size (1 Gun)	0.032"
(2 Gun)	0.019"
Engine, Gas	126 cc
Part Number (1 Gun)	0290008
Part Number (2 Gun)	0290009



LAZYLINER™ SERIES

Take a load off and increase productivity up to four times. Elite and Pro work on PowrLiner 2855-8955. The new Compact works with all hydraulic units. An economical way to grow your business.



LazyLiner™ Elite



LazyLiner™ Pro



NEW
LazyLiner™ Compact

HITCH CLASS 101

- The drivers are not shipped with a hitch; use chart to identify which hitch to order.

	Compact	Pro	Elite
PowrLiner 2850	---	0290043Z	0290043Z
PowrLiner 4950, PL4900xt, PL6900xt, PL8900xt	0290047Z	0290047Z	0290047Z
PowrLiner 6950, PL8950	0290048Z	0290048Z	0290048Z
PowrLiner 4955, PL6955, PL8955	not set up yet	0290045Z	0290045Z
Graco® 3900 & up	0290050Z	0290050Z	0290050Z
Bumper/Engine Protection Bar	---	0290646	included

See accessories page to order correct hitch.

LAZYLINER COMPACT

- Industry's only one wheel ride on system
- Compact, portable, and easy to transport
- Only 121 lbs. / Only 7.5' long with striper attached
- Compatible with 4950, 4955, 6950, 6955, 8950, 8955

Engine, Gas	126 cc Subaru® OHV/OHC
Start	Pull
Speed (Forward)	0-10 mph
(Reverse)	0-7 mph
Part Number	0290042

LAZYLINER PRO

- Standard pneumatic tires - 16" x 4.5"
- Multi-position seat (forward/back, side to side)
- Height adjustable foot pedals

Engine, Gas	169 cc Subaru® OHC
Start	Pull
Speed (Forward)	0-12 mph
(Reverse)	0-7 mph
Part Number	0290041

LAZYLINER ELITE

- 200 watt lamp coil charging system capable
- HD pneumatic tires - 16" x 6.5"
- Engine protection bumper bar
- Multi-position seat (forward/back, side to side)
- Height adjustable foot pedals

Engine, Electric	211 cc Subaru® OHV/OHC
Start	Electric or Pull
Speed (Forward)	0-12 mph
(Reverse)	0-7 mph
Part Number	0290040

TR¹ LINE STRIPING TIPS

ENGINEERED SPECIFICALLY FOR STRIPING LINES



INDUSTRY'S BEST PERFORMING FAN PATTERN

- Sprays razor sharp lines
- Consistent line width from the first gallon to the last

LONGEST LASTING STRIPING TIP ON THE MARKET

- Uniform film build for the life of the tip
- Less wasted paint equals more profit

NEW EASY TO READ TIP SIZES

- 421 = 4" stripe (6" from the surface) with a .021" orifice

TR¹ LINE STRIPING TIPS P/N 697-XXX

		ORIFICE WIDTH (INCHES)												
LINE WIDTH AT 6" (INCHES)		0.013	0.015	0.017	0.019	0.021	0.023	0.025	0.027	0.029	0.031	0.035	0.039	0.043
	2"	213	215	217	219									
	4"	413	415	417	419	421	423	425	427	429	431	435	439	443
	6"		615	617	619	621	623	625	627	629	631	635	639	643
	8" - 10"					821	823	825	827	829	831	835	839	843
	Flow (GPM)	0.18	0.23	0.30	0.40	0.47	0.57	0.66	0.77	0.88	1.10	1.30	1.62	1.98

TR² VERSTILE STRIPING TIPS

ENGINEERED TO STRIPE LINES AND STENCIL ALL IN ONE TIP

Recommended Tips (694-XXXXXXX)

Striping Tip Size	Stencil Tip Size	Flag	Filter (Insert color)	Usage	Part number
2308	623	Yellow	White	Striping / Stenciling	694-2308623
2108	621	Yellow	White	Striping / Stenciling	694-2108621
1908	519	Yellow	White	Striping / Stenciling	694-1908519
1708	517	Yellow	White	Striping / Stenciling	694-1708517

- Switch to wide or narrow fan patterns with a twist
- Speed and control at you fingertips
- One tip with two fan patterns
- Consistent film thickness when using wide or narrow fan pattern



LINE STRIPING ACCESSORIES

MAKE YOUR STRIPER MORE EFFECTIVE WITH HARD WORKING ACCESSORIES

WINDGUARD™ SPRAY SHIELD P/N 0290623



- Protects spray pattern from wind, minimizing over-spray
- Works well when applying diluted athletic field marking paints
- Adjustable for easy "on the fly" line width changes – 4", 6" or 8"
- Easily removed
- Attaches to any Titan PowrLiner and most competitive models
- Spring loaded shields promote forgiveness on uneven surfaces
- Lightweight – only 5.5 lbs.

STENCIL KITS

Molded of 1/8" (.15 cm) polyethylene, these stencils are very durable and lay flat on surfaces for clean and accurate marking



P/N 0290933 Contains:

- 39" (99 cm) Handicap
- 12" (30 cm) No Parking
- 12" (30 cm) Numbers 0-9

P/N 0290932 Contains:

- 39" (99 cm) Handicap

P/N 0290934 Contains:

- 39" (99 cm) Handicap
- 4" (10 cm) Visitors
- 12" (30 cm) Numbers 0-9
- 4", 12" (10, 30 cm) Fire Lane
- 4" (10 cm) Reserved
- 4", 12" (10, 30 cm) No Parking
- 42" (105 cm) Straight and curved arrows

LINESITE™ LASER POINTER P/N 0290038A



- Includes two lasers, mounting kit and rechargeable battery pack
- Great for start/stops, curb striping, executing razor sharp lines and training new employees
- High intensity green laser is easy to see in daylight
- Compatible with most line strippers


SECOND GUN KIT



- Complete with mounting bracket, airless gun, 6' x 1/4" hose and line striping tip.
- Mounts on either side of 4950, 6950 & 8950 PowrLiner Part Number 759-138 (S-3 Gun) 759-038 (S-5 Gun)
- PowrLiner 2850 second gun kit complete with mounting bracket, airless gun, 6' x 1/4" hose and Line striping tip. Part Number 0290310

GLASS BEAD DISPENSING SYSTEMS

Compatible with: 4950, 4955, 6950, 6955, 8950, 8955, 4900XLT, 6900XLT, 8900XLT



Glass Bead dispensing systems come with Hopper, Hose and Dispenser.

Description

- 4"- 6" One Gun Kit
- 4"- 6" Two Gun Kit
- 12" One Gun kit
- 12" Two Gun Kit

Part Number

- 424-826
- 424-836
- 424-840
- 424-841

Add a 2nd dispenser to your One Gun Kit

- 4"- 6" 2nd dispenser with hose 424-816

SURETRAK™ FLOATING GUN KIT P/N 759-120



- Keeps the gun at the proper height from the surface for perfect lines over rough terrain
- Works great on pavement, grass and turf
- Attaches to PowrLiner 4950, 4955, 6950, 6955, 8950, 8955

STRIPER ADD-ON ACCESSORIES

GUNS	P/N	GUN ACCESSORIES	P/N	UPGRADES	P/N
LX-40 Gun	550-540	Pail Cover	759-147	Fluid Gauge Kit	730-397
LX-80" Gun	0550030	3/16" x 5' Whip	316-506	PL850 Caster Release Kit	0293970
S-3 Gun	0550060	No Build Tip Guard	0289228	12-Gallon Hopper	759-130
S-5 Gun	0550070	18" Gun Extension	651-072	Turf Kit	759-155
		1/4" x 50' Airless Hose	316-505		

FLUIDS

PISTON LUBE	P/N	LIQUID SHIELD™	P/N	OTHER FLUIDS	P/N
Piston Lube 4 oz.	314-481	Liquid Shield™ Plus 4 oz.	314-483	Coolflo 1 gal.	430-361
Piston Lube 8 oz.	314-480	Liquid Shield™ Plus 1 qt.	314-482	Tip Clean	314-207
Piston Lube 1 qt.	700-926	Liquid Shield™ Plus 1 gal.	0521418	Part Renu™ Starter Kit	0521010



LAXYLINER TRAY

- Attachable tray system as an option for carrying around additional items
- For use on the LazyLiner Pro and Elite models only

Pro	0290645 (must add bumper P/N 0290646)
Elite	0290645

HITCH CLASS 101

- The drivers are not shipped with a hitch; use chart to identify which hitch to order.


	Compact	Pro	Elite
PowrLiner 2850	---	0290043Z	0290043Z
PowrLiner 4950, PL4900xlt, PL6900xlt, PL8900xlt	0290047Z	0290047Z	0290047Z
PowrLiner 6950, PL8950	0290048Z	0290048Z	0290048Z
PowrLiner 4955, PL6955, PL8955	not set up yet	0290045Z	0290045Z
Graco® 3900 & up	0290050Z	0290050Z	0290050Z
Bumper/Engine Protection Bar	---	0290646	included

HANDIBEAD™ BEAD DISPENSER P/N 0290953A



- Eliminates hand tossing glass beads on stop bar or crosswalk applications
- Apply glass beads with consistency and accuracy
- Adjustable diffuser can disperse material up to 15" wide
- 3 nozzles included (small, medium, large)


SPECIFICATIONS

			
	POWRLINER™ 550	POWRLINER™ 850	POWRLINER™ 2850
Part #: 1-Gun 2-Gun	0290004 —	0290005 —	0290008 0290009
Max. Tip Size: (Gas) 1-Gun 2-Gun (Electric) 1-Gun 2-Gun	0.019" — — —	0.021" (.017 Airless painting) — — —	0.030" 0.019" — —
Max. Output: (Gas) (Electric)	.33 GPM (1.3 lpm) —	.33 GPM (1.3 lpm) —	.92 GPM (3.2 lpm) —
Max. Spraying Speed*	106 linear ft. (32.3 m) per minute	160 linear ft. (32.3 m) per minute	416 linear ft. (126.8 m) per minute
Line Width Range	2" - 12" (5 cm - 30.5 cm)	2" - 12" (5 cm - 30.5 cm)	2" - 24" (5 cm - 30.5 cm)
Max. Operating Pressure	3000 PSI (17.2 MPa)	3000 PSI (17.2 MPa)	3300 PSI (22.8 MPa)
Max. Hose Length	50' (15.2 m)	50' (15.2 m)	300' (91.4 m)
Power Source	37.7 cc 4 stroke Engine	37.7 cc 4 stroke Engine	126 cc Subaru® OHC Engine w/Low-Oil Alert
Electric Motor	—	—	—
Pump Drive	Clutch Driven	Clutch Driven	Clutch Driven
Cycle Rate	—	—	—
Electrical System	—	—	—
Paint Outlet: Filter Element Filter Area	60 mesh 3 in² (19 cm²)	60 mesh 3 in² (19 cm²)	60 mesh 14 in² (90 cm²)
Airless Gun	LX-40	LX-40	LX-80
Airless Hose	1/4" x 50' (7.5 m)	1/4" x 50' (7.5 m)	1/4" x 50' (15.2m)
Airless Stripping Tips supplied per gun	1 ea., 697-419, TR™ Line Stripping Tip, 4" Line by .019" orifice	1 ea., 697-417, TR™ Line Stripping Tip, 4" Line by .019" orifice	1 ea., 697-419, TR™ Line Stripping Tip, 4" Line by .019" orifice
Operator's Manual	313-2300	313-2300	313-2797
Repair Kit: Pump Gun	759-365 N/A	759-365 N/A	759-268 580-034
Optional Electric Motor Kit	—	—	—
Weight: Unit	83 lbs.	84 lbs.	250 lbs.
Weight: Unit Crated	90 lbs.	90 lbs.	275 lbs.
Dimensions: Unit	38" H x 29" W x 42" L (97 cm H x 74 cm W x 107 cm L)	38" H x 29" W x 42" L (97 cm H x 74 cm W x 107 cm L)	41" H x 30" W x 54" L (104 cm H x 79 cm W x 152 cm L)
Dimensions: Unit Crated	27" H x 26" W x 47" L (69 cm H x 66 cm W x 119 cm L)	26" H x 26" W x 46" L (66 cm H x 66 cm W x 116 cm L)	49" H x 33" W x 64" L (125 cm H x 84 cm W x 163 cm L)
Warranty	2 Year	2 Year	4 Year

			
	LAZYLINER™ COMPACT	LAZYLINER™ PRO	LAZYLINER™ ELITE
Engine	126v cc Subaru® OHV/OHC	169 cc Subaru® OHV/OHC	211 cc Subaru® OHV/OHC
Start	Pull	Pull	Electric or Pull
Speed (Forward) (Reverse)	0-10 mph 0-7 mph	0-12 mph 0-7 mph	0-12 mph 0-7 mph
Part Number	0290042	0290041	0290040

Hitches not included

FOR YOUR TOUGHEST STRIPING APPLICATION



POWRLINER™ 4955

—
0290052

0.036"
0.028"
0.031"
0.023"

1.5 GPM (5.68 lpm)
1.10 GPM (4.07 lpm)

511 Linear ft. (155 m) per minute

2" - 24" (5 cm - 60 cm)

3300 PSI (22.8 MPa)

300' (91.4 m)

169 cc Subaru® OHC Engine

2 hp (1.5 kw) Extended Life DC

Hydraulic

87 per gallon (23 per liter)

—

60 mesh
18 in² (116 cm²)

S-3

1/4" x 50' (15.2 m)

1 ea., 697-419, TR™ Line Striping Tip,
4" Line by .019" orifice

313-2593

107-051
550-275

506-719


370 lbs.

405 lbs.

41" H x 31" W x 60" L
(104 cm H x 79 cm W x 152 cm L)

49" H x 33" W x 64" L
(125 cm H x 84 cm W x 163 cm L)

4 Year



POWRLINER™ 6955

—
0290053

0.048" - 0.050"
0.033"
0.036"
0.026"

2.25 GPM (9.77 lpm)

688 Linear ft. (210 m) per minute

2" - 24" (5 cm - 60 cm)

3300 PSI (22.8 MPa)

300' (91.4 m)

211 cc Subaru® OHC Engine w/**Electric Start**

—

Hydraulic

55 per gallon (15 per liter)

12 W

60 mesh
18 in² (116 cm²)

S-3

1/4" x 50' (15.2 m)

1 ea., 697-419, TR™ Line Striping Tip,
4" Line by .019" orifice

313-2596

144-050
550-275

—

370 lbs.

405 lbs.

41" H x 31" W x 60" L
(104 cm H x 79 cm W x 152 cm L)

49" H x 33" W x 64" L
(125 cm H x 84 cm W x 163 cm L)

4 Year



POWRLINER™ 8955

—
0290054

0.052" - 0.054"
0.038"
0.036"
0.026"

2.5 GPM (10.68 lpm)

752 Linear ft. (229 m) per minute

2" - 24" (5 cm - 60 cm)

3300 PSI (2.28 MPa)

300' (91.4 m)

211 cc Subaru® OHC Engine w/**Electric Start**

—

Hydraulic

40 per gallon (11 per liter)

12 W

60 mesh
18 in² (116 cm²)

S-3

1/4" x 50' (15.2 m)

1 ea., 697-419, TR™ Line Striping Tip,
4" Line by .019" orifice

313-2582

144-050
550-275

—

370 lbs.

405 lbs.

41" H x 31" W x 60" L
(104 cm H x 79 cm W x 152 cm L)

49" H x 33" W x 64" L
(125 cm H x 84 cm W x 163 cm L)

4 Year

*Based on 4" (10 cm) line @ 15 mil wet film thickness and 320 linear feet per gallon coverage.
All information contained in this brochure is based on the latest information available at the time of printing.
Titan reserves the right to make changes at any time without notice.



TM

KEEP ON WORKING

A SPARE FLUID SECTION KEEPS YOU ON THE JOB

CONVENIENCE PROGRAM

Not only do we deliver high quality sprayers, we are proud to back them up with the best and longest warranty in the industry.

Titan sprayers are built to last. We are so confident that our sprayers will hold up to the most difficult jobs that we offer the best and longest warranty in the industry.

4 YEAR MANUFACTURER'S DEFECT

We pledge that our sprayers are free from defects in materials and workmanship. This excludes normal wear items and consumables such as filters, piston, packings, tips, etc.

LIFETIME DURALIFE BRUSHLESS HE AND PMDC BRUSHLESS MOTOR WARRANTY

If the motor fails for any reason (including wear) for as long as you own the sprayer, we will replace the motor at no cost to you.

LIMITED LIFETIME DCX MOTOR WARRANTY

If the motor fails from normal usage for as long as you own the sprayer, we will replace the motor at no cost to you.

GAS ENGINE WARRANTY

5 year Subaru®, 3 year Honda® and 2 years all others.

2 YEAR TURBINE WARRANTY

LIFETIME DRIVE TRAIN WARRANTY

If the drive train fails from normal usage for as long as you own the sprayer, we will replace the drive train at no cost to you.

35-DAY SATISFACTION GUARANTEE

If for any reason the sprayer does not perform up to your expectations within 35 days, the sprayer can be exchanged for the identical model or full credit towards the purchase of a Titan sprayer of larger size and value.

EXPRESS PARTS PROGRAM

- Over 900 Authorized Service Centers nationwide
- The most common repair parts are guaranteed to be in stock 100% of the time
- If for any reason your preferred Authorized Service Center is out of stock, free 2nd day air is available when ordered by 3:00 pm (EST)

WEARGUARD CONVENIENCE PROGRAM

Get up to 80% off a spare fluid section or choose to get a free repacking kit

Level 1

Impact™ 340, 400

\$1099^{5*}
USD
(\$131.94 CAD)

Level 2

Impact™ 440*, 540*, 640*, 740, 840,
MF 440, GPX™ 85,
PowrLiner™ 2850

\$2249^{5*}
USD
(\$269.94 CAD)

Level 3

Impact™ 1040, 1140,
Advantage™ 1100,
GPX™ 130

\$2499^{5*}
USD
(\$299.94 CAD)

Level 4

GPX™ 165, 220, PowrTwin™ 4900 Plus,
6900 Plus, 8900 Plus, 12000 Plus,
PowrLiner™ 4955, 6955, 8955, 1200 SF

\$3249^{5*}
USD
(\$389.94 CAD)

Level 5

AirCoat™ 423, 620

\$3999^{5*}
USD
(\$479.94 CAD)

Level 6

PowrCoat™ 730, 745, 940, 960, 975,
Hydra™ Pro IV

\$5999^{5*}
USD
(\$719.94 CAD)

* THE IMPACT™ 440, 540 & 640 CONVENIENCE PROGRAM FLUID SECTION COMES PACKED WITH FEATURES THAT THE COMPETITION CANNOT OFFER
INCLUDES \$375 IN ADDED FEATURES

Manifold Filter Housing | Pressure Transducer | SureFlo™ Pusher Valve | Prime Spray Valve

*Tax not included. Prices guaranteed through January 31, 2016.

TITAN™

TITAN™
POWERHOUSE
THE PROFESSIONAL'S EDGE

Plug into TitanPowerHouse.com

Titan Tool

1770 Fernbrook Lane
Minneapolis, MN 55447
1-800-526-5362
Fax 1-800-528-4826

All information contained in this brochure is based on the latest information available at the time of printing. Titan reserves the right to make changes at any time, without notice.

Visit us on the web at: www.titantool.com
Call Tech Services at 1-800-526-5362 for
complete warranty information.

Due to continuous innovation, specifications may progressively change. Contact one of our dependable sales reps or call our dedicated customer service team for more information.